

X-REFERENCE Zinc Carbon Batteries



C



AA



9V

General Purpose

		No.			Size	Volts	Term.	NEDA No.
BIG BEAM	Brightstar	Duracell	Eveready	Rayovac	D	1.5	Flat	13F
			950	2D	C	1.5	Flat	14F
			935	1C	AA	1.5	Flat	15F
			1015	7AA				

Transistor

		No.			Size	Volts	Term.	NEDA No.
BIG BEAM	Brightstar	Duracell	Eveready	Rayovac	9V	9	Snap	1604
		216	1604-1				


Heavy Duty

		No.			Size	Volts	Term.	NEDA No.
BIG BEAM	Brightstar	Duracell	Eveready	Rayovac	D	1.5	Flat	13D
			1250BP-2	6D-2B	C	1.5	Flat	14D
			1235BP-2	4C-2B	AA	1.5	Flat	15D
			1215	5AA-4	9V	9	Snap	1604D
			1222	D1604-1				



Photo-Electronic

		No.			Lgth. In.	Wdth. In.	Ht. In.	Volts	Term.	NEDA No.
BIG BEAM	Brightstar	Duracell	Eveready	Rayovac	3	1.6	5.6	510	Flat Rec.	741
		497							



Lantern

		No.			Lgth. In.	Wdth. In.	Ht. In.	Volts	Term.	NEDA No.
BIG BEAM	Brightstar	Duracell	Eveready	Rayovac	2.6	2.6	3.8	6	Socket	920
			2744N	920	2.6	2.6	4.3	6	Screw	915
			510S	942						



Continued on next page

Continued from previous page

		No.				Lgth.	Wdth.	Ht.	Volts	Term.	NEDA
		Duracell	Eveready	Rayovac	In.	In.	In.			No.	
BIG BEAM	Brightstar				2.6	2.6	4.4	6	Spring	908	
200		509	941	2.6	2.6	4.4	6	Spring	908D	
.....	466-M		1209	944	2.6	2.6	4.4	6	Screw	918	
202	158		731	918	5.4	2.8	4.9	6	Screw	926	
	125		732	926	5.4	2.8	4.9	12	Screw		

Hobby

		No.				Lgth.	Wdth.	Ht.	Volts	Term.	NEDA
		Duracell	Eveready	Rayovac	In.	In.	In.			No.	
BIG BEAM	Brightstar		2744N	920	2.6	2.6	3.8	6	Socket	920	
751		715	903	7.2	4.1	6.5	7.5	Screw	903	
466	155		716	904	8.6	4.1	6.5	9	Screw	904	
			1862	HD-B-12V	8.3	5.2	6.7	12	Socket	935	




Ignition

		No.				Volts	Lgth.	Wdth.	Ht.	Term.	NEDA
		Duracell	Eveready	Rayovac			In.	In.	In.	No.	
BIG BEAM	Brightstar		735	900	1.5	2.6	2.6	4.3	Screw	900	

Emergency

		No.				Lgth.	Wdth.	Ht.	Volts	Term.	NEDA
		Duracell	Eveready	Rayovac	In.	In.	In.			No.	
BIG BEAM	Brightstar		1461	641	10.4	2.7	7.2	6	Screw	907	
			1463	922	10.4	2.7	7.2	12	Screw	922	

X-REFERENCE
Alkaline Batteries




General Purpose

		No.				Size	Volts	Terminals	NEDA
		Duracell	Eveready	Rayovac				No.	
Brightstar			E95	813	D	1.5	Flat	13A	
7520		MN1300	E93	814	C	1.5	Flat	14A	
7522		MN1400	E91	815	AA	1.5	Flat	15A	
7524		MN1500	E92	824	AAA	1.5	Flat	24A	
7526		MN2400	E90	810	N	1.5	Flat	910A	
.....		MN9100	522	A1604-1	9V	9.0	Snap	1604A	
7590		MN1604							

Continued on next page

Products shown here are for reference only. They can be sold by the locally authorized distributor

Continued from previous page



Photo

No.		Eveready		Rayovac	Size	Volts	Terminals	NEDA
Brightstar	Duracell	E90BP-2	A76		N	1.5	Flat	No.
.....	MN91005" Dia.x.2"H*	1.5	Flat	910A
.....	PX76A/G75AB6" Dia.x.2"H*	1.5	Flat	1128MP
.....	PX625A		J	1.5	Flat	1124MP
.....	7K67B	539BP				6.0	Flat	1412AP


*Approximate diameter and height.



Zinc Air - Hearing Aid

No.		Eveready		Rayovac	Size	Volts	Terminals	NEDA
Brightstar	Duracell	AC13E	L13ZA		In.†	1.4	Flat	No.
.....	DA13	AC230E	L10ZA		.3 Dia.x.2H	1.4	Flat	700ZD
.....	DA230	AC312E	L312ZA		.3 Dia.x.1H	1.4	Flat	70052C
.....	DA312	AC675E	L675ZA		.2 Dia.x.1H	1.4	Flat	70022D
.....	DA675				.5 Dia.x.2H	1.4	Flat	70032D

†Approximate diameter and height.



Electronic General Purpose

No.		Eveready		Rayovac	Size	Volts	Terminals	NEDA
Brightstar	Duracell	EN1A			In.‡	1.5	Flat	No.
.....	PC1A	EN134A			.6 Dia.x.6H	6.0	Flat	1100A
.....	PC134A	EN175A			.7 Dia.x2.6H	7.5	Flat	14Q9A
.....	PC175A				.5 Dia.x1.1H		Flat	1501A

‡Approximate diameter and height.

X-REFERENCE Rechargeable Batteries

Ni-Cad



No.

Brightstar	Eveready	Size
RC-1	CH50	D
	CH35	C
	CH15	AA
	CH12BP-2	AAA
	CH22	9V



AA

Nom.

Volts
1.25
1.25
1.25
1.25
9.00

Terminals
Flat
Flat
Flat
Flat
Snap



9V

Nom.

MAH
1200
1200
500
180
80

NEDA

No.
10013
10014
10015
10024
11604

X-REFERENCE

Photo Batteries

Silver Oxide



Flat terminals.

No.

Duracell	Eveready
MS76B	EPX76BP
PX28AB*	A544BP

*Alkaline

Approx. Size

In.
.5 Dia.x.2
.5 Dia.x1.0

Volts
1.5
6.0

NEDA

No.
1107SOP
1406SOP



EVEREADY®
Novelty Flashlights
Penlights



No.	UPC	No. Batteries	Battery Size	Desc.
9212		2	AAA	w/o Batteries
9215		2	AAA	w/o Batteries


EVEREADY®
Lanterns
Captain



Powerful sealed beam swivel head. Red warning flasher. Include No. 731 battery, No. 4564 head-lamp and No. 407 signal lamp.

No.	UPC	Desc.
9100WB	w/Flasher
9101WB	09277	w/o Flasher

EVEREADY®
Industrial Lights



459



1251

Value lights are an economical choice for use in industrial maintenance and work applications. Heavy-duty industrial lights withstand 5' drop to concrete. Polypropylene resists oil, grease and gasoline. Shatterproof lens. Wide switch for use with gloved hand.

Mine Safety and Health Administration tested for gas-air mixtures Class 1, Groups C and D.

No.	UPC	Size	Bulb No.	Pkg. Qty.	Wt. Lbs.
Heavy Duty Safety Lights*					
1259	01346	2XD	PR2	12	5.5
459	01229	6V/Spr.	PR13	6	4.4
Heavy Duty Industrial Lights					
1151	05586	2XAA	PR2	12	1.8
1251	01345	2XD	PR2	12	4.9
1351	01370	3XD	PR7	12	5.3
208IND	03074	6V/Spr.	PR13	12	8.2

*UL Listed.

EVEREADY®
Halogen Lanterns



209H-S



231H-S

Brighter and whiter light than traditional 6V lanterns. Shine brightly at over 12 miles.

No.	UPC	Desc.
209H-S*	9936	Floating Lantern
231H-S	25,000 Max. Candle Power

*Includes 6V battery.

EVEREADY®
Flashlights
2- - All Purpose




12/pkg. Batteries included.

No.	UPC	No. Batteries	Battery Size	Desc.
3308P	03901	2	D	Industrial
331BP*	03904	2	D	Industrial w/Magnet Halogen
2251WB-E	04123	2	D	w/2 E95 batteries Halogen
2253WB-E	03117	2	D	w/2 E95 batteries w/Holder & 2 935 Batteries Card
3233WBL	02920	2	C	Twin Pack
3251BP	01192	2	D	w/4 950 Batteries Display Pack
3251BP-2	01041	2	D	Black Display Pack
3251D	01529	2	D	w/2 950 Batteries
3251R	02685	2	D	2XD Medical Light w/Holder & 2 950 Batteries
3251WB	09277	2	D	Heavy Duty
3251WH	03802	2	D	w/2 1250 Batteries
3253WBL	02925	2	D	Anodized Metal
4251WB-S	02113	2	D	
5251BP	01601	2	D	

*w/o battery.

Products shown here are for reference only. They can be sold by the locally authorized distributor.

RAYOVAC®
Flashlights
Industrial™ - Heavy-Duty



Tough, non-roll design. Shock, chemical, grease resistant. Feature prismatic reflector, switch protector, ring hanger, spare bulb holder.

No. IN3-MS BULK. Circuit breaker disconnects contact between batteries, broken bulb. Polypropylene plastic resists impact, water, corrosion. Switch withstands 100,000 on/off cycles. Type II for flashlights for use in hazardous locations on vessels.

Approvals. UL Approved. MSHA Approved. Meet US Coast Guard Requirements.

No. IN3 BULK. Polypropylene plastic resists impact, water, corrosion, oil, gas. Non-conductive. Switch withstands 100,000 on/off cycles.

No. IN4 BULK. Polypropylene plastic resists water, corrosion, oil, gas. Non-conductive. Switch withstands 100,000 on/off cycles.

No. IN2-CT. Continuity tester. Polypropylene plastic resists water, corrosion, oil, gas. Non-conductive. Switch withstands 100,000 on/off cycles.

No. IN2-CT BULK. Continuity tester. Polypropylene plastic resists water, corrosion, oil, gas. Non-conductive. Switch withstands 100,000 on/off cycles.

No. IN2-K BULK. Krypton bulb. Polypropylene plastic resists water, corrosion, oil, gas. Non-conductive. Switch withstands 100,000 on/off cycles.

No. IN2-ML BULK. Includes magent. Polypropylene plastic resists water, corrosion, oil, gas. Non-conductive. Switch withstands 100,000 on/off cycles.

No. IN2-KML BULK. Krypton bulb. Polypropylene plastic resists water, corrosion, oil, gas. Non-conductive. Switch withstands 100,000 on/off cycles.

No. IN2-ML BULK. Includes magent. Polypropylene plastic resists water, corrosion, oil, gas. Non-conductive. Switch withstands 100,000 on/off cycles.

No. IN2-KML BULK. Krypton bulb. Polypropylene plastic resists water, corrosion, oil, gas. Non-conductive. Switch withstands 100,000 on/off cycles.

No.	UPC	Desc.
	2 Cell AA Size	
IN4	45208	Yellow
IN4 BULK	45237	Yellow
	2 Cell D Size	
IN2	45184	Standard
IN2 BULK	43703	Standard
IN2-K	45185	w/Krypton Bulb
IN2-ML	45186	w/Magnet
IN2-KML	45188	w/Krypton Bulb & Magnet
IN2-CT	45189	w/Continuity 10 Ohm Tester
IN2-CT BULK	43802	Yellow
IN2-MS	45190	Orange Safety;
		UL & MSHA Approved
IN2-MS BULK	43745	Orange Safety;
		UL & MSHA Approved
IN2-K BULK	43711	Yellow
IN2-ML BULK	43729	Yellow
IN2-KML BULK	43737	Yellow
	3 Cell D Size	
IN3	45191	Standard
IN-3 BULK	43752	Yellow
IN3-MS	45192	Orange Safety;
		UL & MSHA Approved
IN3-MS BULK	43760	Orange

RAYOVAC®
Lantern Flashlights
Floating



Lantern Flashlights

No.
L295-B
L295-S
LM10-S

UPC
34314
20669
34330

Desc.
w/o Battery
w/Battery No. 941
Heavy Duty
w/Battery No. 944

Batteries

No.
941
944

Desc.
6V General Purpose
6V Heavy Duty Maximum™



RAYOVAC®
Flashlights
Roughneck®



Durable, professional quality. Spot-to-flood focus, 100% brighter and whiter Krypton bulb, and push button switch. Resist chemicals and solvents. Waterproof. Packaged in Touch 'n Try display carton.

No.	UPC	Desc.
R2C	45110	2 Cell C Flashlight
R2C-B	45111	2 Cell C Flashlight w/2 HD Maximum
R2D	45113	2 Cell D Flashlight
R2D-B	45114	2 Cell D Flashlight w/2 HD Maximum
R2AA-B	45119	2 Cell AA Flashlight w/2HD Maximum
R3D	45116	3 Cell D Flashlight
R3D-B	45117	3 Cell D Flashlight w/3HD Maximum
R2AA2D	45098	Multi-Pack 2 Cell AA & 2 Cell D Flashlights w/4 HD Maximum

RAYOVAC®
Flashlights
All-Purpose



High impact styrene, 2 cell. No. PR2 bulb.

No.	UPC	Desc.	Battery Size
P2	37416	Economy Red Flashlight	D
P2-1	37424	Economy Red Flashlight in Collar	D
BL1-1	28209	Disposable Red Flashlight w/Batteries. Carded	
PD-1	32821	Disposable Alkaline Red Penlight. Carded	
S22F-1	20446	Chrome Plated Steel Sportsman® Flashlight w/3-Position Switch and Ring Hanger in Collar	D
H22	19851	Heavy Duty Yellow Individ. Boxed	D
H22-1	19869	Heavy Duty Yellow Flashlight in Collar	D
H22M	36426	Heavy Duty Yellow Flashlight w/Magnet. Individually Boxed	D
H22M-1	36418	Heavy Duty Yellow Flashlight w/Magnet in Collar	D
H22 BULK	45338	Flashlight	D

RAYOVAC®
Flashlights
Workhorse®



Heavy duty. Provide 70% brighter light through use of Krypton bulb and Fresnel lens. Designed with corrosion resistant KR03® resin case with non-slip grip and guaranteed oversize switch.

No.	UPC	Desc.
WH3	37473	3 Cell w/Battery Workhorse
W2C	45100	Compact Size, 2 C Cells
W2C-B	45101	2 Cell C Size Flashlight w/Batteries
W2D	45103	Standard Size, 2 D Cells
W2D-B	45104	2 Cell D Size Flashlight w/Batteries
W2AA-B	45109	2 Cell AA Size Flashlight & 2 Batteries
W3D	45106	3 D Cells
W3D-B	45107	3 Cell D Size Flashlight w/Batteries
W2AA2C2D	45097	3 Flashlight Multipack: 2 Cell AA, 2 Cell C, 2 Cell D w/Six Batteries
WH5	38513	6V Lantern w/Safety Flasher
W4D-B	45094	4 Cell D Size Compact Lantern w/4 Batteries
WH8	44495	12V Fluorescent 360° Lantern
W2AAX-B	45284	2 Cell AA Size Workhorse & 2 Heavy Duty Maximum® AA Size Batteries
W2AAX2D	45285	Workhorse Multipack; W2AAX & W2D w/Heavy Duty Maximum® Batteries

RAYOVAC®
Headlights

Weatherproof - w/Battery Pouch



Has a full 3" reflector, shatterproof lucite lens, switch mounted in head plate and adjustable headband. Reflector mounted on swivel for easy beam adjustment. Uses bulb No. PR13 or PR12. No. L-298. Packed in individual box. 12/case. No. L298-S. Packaged in display carton. 6/case.

No.	UPC	Desc.
L298	20552	w/o Battery
L298-S	20560	w/6V Battery & Pouch
L19	18242	Battery Pouch